

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11) EP 0 902 082 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication: 17.03.1999 Bulletin 1999/11

(51) Int. Cl.⁶: **C11C 3/14**, A23D 9/00, C12P 7/64

(21) Application number: 98202886.2

(22) Date of filing: 31.08.1998

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 12.09.1997 EP 97307110

(71) Applicant: LODERS CROKLAAN B.V. 1521 AX Wormerveer (NL)

(72) Inventors:Bhaggan, Krish1521 AZ Wormerveer (NL)

Cain, Frederick William
 1521 AZ Wormerveer (NL)

Harris, John Bernard
 1521 AZ Wormerveer (NL)

Taran, Victoria
 1521 AZ Wormerveer (NL)

(74) Representative:
Sikken, Antonius H. J. M. et al
UNILEVER N.V.,
Patent Division,
P.O. Box 137
3130 AC Vlaardingen (NL)

(54) Production of materials rich in conjugated isomers of long chain polyunsaturated fatty acid residues

(57) The invention concerns an isomerisation process, wherein materials comprising non-congugated long chain polyunsaturated fatty acids are subjected to base in the presence of an alcohol with ≥ 3 C-atoms and ≥ 2 OH groups and having ratio C-atoms: OH-groups of ≥ 1.25. The resulting reaction product, containing the conjugated isomers is obtained in higher yield at lower temperatures and are not contaminated by presence of non food grade solvent.

Description

50

[0001] Materials comprising mainly (mainly meaning more than 40 % preferably more than 60 %) conjugated isomers of long chain polyunsaturated fatty acids are known for their health performance, when applied in food products. In general these products comprise the linoleic acid isomers and from all the different linoleic acid isomers possible the cis 9 trans 11 and trans 10 cis 12 isomers are most often the most abundantly present in these materials, in general in a 1:1 weight ratio.

[0002] These products with high contents of different conjugated isomers of the same long chain polyunsaturated fatty acid are useful starting materials for the preparation of materials with other ratio's of the different conjugated isomers of the long chain polyunsaturated fatty acids. Such a process could enable us to prepare products with a limited number of isomers and with very high ratio's of the different isomers of the conjugated polyunsaturated acids. Therefore such a process could enable us to take advantage of the different properties of the different isomers for different purposes. A process to enrich the mix containing the different conjugated isomers of the same long chain polyunsaturated fatty acid in one of the isomers is the subject of our earlier WO patent application WO 97/18320.

[0003] The prior art processes for the preparation of above starting materials rich in conjugated polyunsaturated long chain fatty acids have however a number of drawbacks.

[0004] According to a first prior art method this material can be made by a process wherein water has to be used as solvent at high pressures and rather high temperatures, resulting in a product wherein far too many isomers of the polyunsaturated fatty acid are present.

20 This means that the product per se, but also the product as a starting material for the enrichment contains too many components. Therefore the product per se is less useful as food ingredient, while also the products obtained after the enrichment process are rather contaminated.

[0005] Alternatively the prior art (EP799033) discloses a process, wherein an organic solvent in this case ethylene glycol has to be used. Ethylene glycol however has one main drawback, ie it is not foodgrade and it is very difficult to remove it completely from the reaction product of the isomerisation process.

This means that the product per se, but also later products made from it like the enrichment products, are not food grade either.

Moreover the yields of desired conjugated polyunsaturated isomers in the reaction product of the conversion in the presence of base are rather low in that instance.

[0006] According to an example 1 of a non-prepublished PCT-application with an earlier priority date (WO97/46230) conjugated linoleic acids can be obtained by isomeration of linoleic acid or safflower oil by subjecting the starting material to base (KOH) in propylene glycol at 180 °C for 20 minutes. When we performed this process, we found that the reaction product contained relatively large amounts of other isomers, than the desired conjugated linoleic isomers as well. This probably is due to the severe reaction, conditions applied.

[0007] According to another non-published patent application with an earlier priority date (EP 839897) conjugated linoleic acids can be obtained by subjecting fats, containing linoleic acid to base in propylene glycol. Hower high ratios of base to solvent (6 mole/l) are applied. Moreover the use of fats as starting material has the disadvantage over using free fatty acid as starting material, that a build-up of glycerol in the solvent occurs, when the solvent is recycled in the reaction system.

[0008] We found a solution for the above problems that even had another big unexpected advantage. We found that with our new process not only the yields were higher at lower temperatures, while the use of a non-foodgrade solvent could be avoided, but we also found surprisingly that the number of isomers formed was less and that the isomers formed by a subsequent enzymic enrichment process could be separated easier than when ethylene glycol was used as a solvent.

[0009] Therefore our invention concerns in the first instance a process for the preparation of materials comprising mainly conjugated isomers of long chain polyunsaturated fatty acids wherein an oil or a free fatty acid composition or an alkyl ester composition thereof, containing at least 25 wt% of at least one isomer other than the conjugated isomers of long chain polyunsaturated fatty acids is subjected to a treatment with a base in a solvent and wherein the solvent is an alcohol with at least 3 C-atoms and at least two hydroxy groups having:

a ratio of number of C-atoms: number of OH groups of at least 1.25 but less than 3.5, preferably from 1.5 to 2.75, while the reaction is carried out between 100 and 180 oC, more preferably between 120 and 180 oC. This temperature range thus does not include 180 °C per se.

[0010] A very suitable solvent is 1.3 dihydroxypropane or 1,2 dihydroxypropane. These solvents are foodgrade so that traces left in the products are not harmful.

[0011] The reaction is preferably performed in the absence of glycerol. Herefore free fatty acids are preferably used as starting material.

[0012] The base could be any base but we found that the best results were obtained with NaOH or KOH as base. Suitable concentrations for the base are greater than 0.25 mole/l of solvent, preferably 0.25-3.5 most preferably 1.25-2.75 mole/l. Using higher amounts of base leads to the formation of products, wherein many isomers (in particular $C_{18:2}$ trans/trans-isomers) are present (cf our comparative example)

[0013] The starting materials for our novel process have to contain at least 25 wt% of at least one isomer other than the conjugated isomers of long chain polyunsaturated fatty acids. This amount preferably is more than 40 wt %, more preferably even more than 60 wt %. The long chain polyunsaturated fatty acids preferably have at least two unsaturations and at least 18 C-atoms. The most preferred polyunsaturated long chain fatty acids are the different linoleic and linolenic acid isomers. Linoleic acid eg contains mainly the cis 9 cis 12 diunsaturated carbon chain, while in the different natural occurring linolenic acids the three double bonds are all cis but occur at different positions (non-conjugated) in the carbon chain.

[0014] Very suitable starting materials are selected from the group consisting of: sunflower oil, rape seed oil, soybean oil, safflower oil, linseed oil(= high in $C_{18:3}$) and in particular the free acids derived from these oils and alkylesters from these free acids.

These materials are rich in linoleic acid or linolenic acid, in particular C_{18:2}, cis 9 cis 12.

[0015] The most preferred products of our novel process are products that contain the linoleic isomers cis 9 trans 11 and trans 10 cis 12 in about a 1:1 ratio. As disclosed in our earlier WO application 97/18320 these materials can be converted into materials wherein this ratio cis 9 trans 11: trans 10 cis 12 is changed considerably.

Our products are suitably isolated from the crude reaction mixture by the addition of diluted acid to the soap formed until an acidic pH is achieved (preferably: pH 1-3), whereupon the oil is separated from the waterlayer and dried.

[0016] According to a last embodiment of our invention we claim the use of an oil, or of free fatty acids derived from this oil, or of alkyl esters from these free fatty acids comprising mainly conjugated isomers of long chain polyunsaturated fatty acids for the preparation of a material comprising mainly conjugated isomers of the long chain polyunsaturated fatty acids in another ratio for the conjugated isomers by an enzymic enrichment process using an enzyme that has the ability to discriminate between different isomers of conjugated long chain polyunsaturated fatty acids, wherein the product obtained from the process according to claims 1-5 is applied as starting material in the enzymic enrichment process for the production of the materials with the other ratio of conjugated isomers.

EXAMPLE I. (=COMPARATIVE)

30

[0017] 31 grams of safflower oil were added to a solution of 9.0 grams of NaOH pellets (dissolved by stirring at 60 oC) in 150 gram of ethylene glycol.

[0018] The mixture was heated to 135 oC, while it was stirred in an inert atmosphere.

Samples of 2 ml were collected after 2,19,25 and 49 hours.

[0019] After 49 hours the reaction mix was cooled to 60 oC and the soap was split with 80 ml of diluted sulphuric acid (diluted 1:10 with distilled water). The pH of the final mix was 1.5.

The oil was separated from the water phase and dried over Na2SO4.

[0020] The oil product was analysed with high resolution FAME GC. All materials were analysed in the same way.

[0021] The intermediate samples removed during the process were worked in the same way and the oil obtained was also analysed by high resolution FAME GC.

The results are given below.

TABLE I

COMPOSITION OF STARTING OIL				
component name		component name		wt ^c
C18:2	linoleic acid c9,c12	74.		
C18:1	oleic acid	14.		
C18:0	stearic acid	2.7		
C16:0	palmitic acid	6.		
others		1.7		

55

45

50

TABLE II

PRODUCT AFTER 49 HRS component wt % 28.6 C18:2 c9,t11 C18:2 t10,c12 28.7 C18:2 others conj 1.6 unidentified 0.3 C18:2 c9,c12 16.4 C18:1 14.2 C18:0 2.7 C16:0 6.9 0.6 others

Table III

Composition of the samples removed intermediately c9,t11 t10,c12 C18:2 conversion time in hrs 2 3.0 2.9 70.4 5.7 18.3 38.4 48.7 19 18.1 22.0 30.9 58.7 25 21.7 28.5 16.3 78.2 49 28.2

55 Example II

5

10

15

20

25

30

40

45

50

55

 $\hbox{\tt [0022]}\quad \text{Example I was repeated however 1,2 dihydroxy propane was used as solvent.}$ The results are summarized in the tables IV and V

TABLE IV

PRODUCT AFTER 49 HRS				
component	wt %			
C18:2 c9,t11	35.6			
C18:2 t10,c12	34.9			
C18:2 others conj.	2.1			
unidentified	0.4			
C18:2, c9,c12	2.5			
C18:1	14.2			
C18:0	2.7			
C16:0	6.9			
others	0.6			

TABLE V

composition of the samples removed intermediately.				
time in hrs	c9,t11	t10,c12	C18:2	conversion
2	6.5	6.3	63.2	15.5
19	29.8	29.4	15.0	79.9
25	32.8	32.2	8.9	88.1
49	35.3	34.4	2.5	96.7

15 EXAMPLE III (comparative)

Equipment

5

10

[0023] 60 litre autoclave with electrical heating for 250 deg.C and capable of pressures more than 50 bar. The autoclave has a gate stirrer. It is made from 316 stainless steel.

Method

[0024] 30 kgs of a 4 molar ag. solution of sodium hydroxide solution was made up in the autoclave. The solution was heated to 60 deg.C and then 30 kgs of Safflower oil were slowly added whilst stirring.

[0025] The stirred autoclave was then heated up to 230 deg.C. This took 5 hours and then maintained at 230 deg.C for a further 1.5 hours at which point the autoclave was cooled in 1 hour to 90 deg.C. The reacted mixture was then run out of the autoclave into a drum and mixed with an equal quantity of hot water.

[0026] To obtain the free fatty acid product, the soap produced in the reactor was split with acid. With the soap solution at between 90 and 100 deg.C, 1N sulphuric acid was slowly added and stirred until the pH was less than 3, at which point the soap reacted to produce free fatty acid which could then allowed to separate and then decanted off.

Results

40

45

50

55

[0027] The Safflower originally contained 76.6% of linoleic acid (cis-9,cis-12). Of this more than 90% was conjugated to give the following interpretation on High Res GLC:

	Feed oil	Conjugated
14:0	0.1	0.1
16:0	6.8	6.9
18:0	2.5	2.6
18:1	13.4	13.3
18:2 c9/c12	76.6	4.7
20+	0.6	0.8
CLA c9t11		27.9
CLA t10c12		20.3
CLA others		23.4

Example IV (comparative)

[0028] 30 grams of safflower oil were added to a solution of 75.1 grams of KOH pellets (dissolved by stirring at 100

°C) in 150.1 grams of propylene glycol. (ratio of base: solvent: 9 mole/l).

[0029] The mixture was heated to 135 °C, while it was stirred in an inert atmosphere. After 16.5 hours the reaction mix became very thick and the reaction was stopped. The sample from the end mixture was taken and the soap was splitted with diluted sulphuric acid (diluted 1:10 with distilled water) until the pH of the water phase was 1.5. The oil was separated from the water phase and dried over Na_2SO_4 . The oil was analyzed by high resolution FAME GC.

TABLE

PRODUCT AFTER 16.5 HRS				
component	wt %			
C14:0	0.13			
C16:0	7.55			
C16:1	0.13			
C17:0	0.05			
C18:0	2.86			
C18:1	11.81			
C18:2	1.21			
C20:0	0.04			
C18:3	0.33			
C20:1	0.21			
C18:2 c9,t11	22.32			
C18:2 c11,t13	2.65			
C18:2 t10,c12	21.31			
C18:2 c,c	4.07			
C18:2 t,t	23.48			
C18:2 oxid	0.20			
C22:0	0.22			
others	1.43			

EXAMPLE V

10

15

20

25

30

35

40

45

50

55

[0030] 30 g of KOH were dissolved in 200 ml of 1,2 dihydroxypropane (=2.7 mole/l). 30 g of free fatty acids from safflower oil were added to this mixture and were reacted under nitrogen at 135 oC for 47 hrs. The soap formed was worked up with diluted sulfuric acid (10%). The product obtained was analysed by GLC and the following product composition was found:

component	wt%
C14:0	0.2
C16:0	4.2
C18:0	1.6
C18:1	22.5
C18:2t	1.6
C18:2c	24.0

(continued)

component	wt%
C18:2c9t11	20.7
C18:2c11t13	0.6
C18:2t10c12	20.3
C18:2 9,11 cc	0.6
C18:2 10,12 ∞	0.6

EXAMPLE VI

[0031] 210 g of NaOH was dissolved in 2100 ml 1,2 dihydroxypropane.(=2.5 mole/l). 700 g of free fatty acids from sunflower oil were added to this mixture and were reacted for 47 hrs at 135 oC. The soap formed was worked up by adding a diluted (10%) sulfiric acid solution until pH=2. The product obtained was analysed by GLC. The composition of the product was:

20

5

10

25

30

35

50

55

in starting FFA % in product component 0.2 0.2 C14:0 3.9 C16:0 3.8 1.5 1.5 C18:0 21.9 22.0 C18:1 71.5 7.6 C18:2 c9c12 30.6 C18:2 c9t11 C18:2 c11t13 0.5 C18:2 t10c12 30.3 0.7 C18:2 c9c11 0.7 C18:2 c10c12

Claims

- 40 1. Process for the preparation of materials comprising mainly conjugated isomers of long chain polyunsaturated fatty acids wherein an oil or a free fatty acid composition or an alkyl ester composition thereof, containing at least 25 wt% of at least one isomer other than the conjugated isomers of long chain polyunsaturated fatty acids is subjected to a treatment with a base in a solvent and wherein the solvent is an alcohol with at least 3 C-atoms and at least two hydroxy groups having: a ratio of number of C-atoms: number of OH groups of at least 1.25 but less than 3.5, preferably from 1.5 to 2.75, while the reaction is carried out between 100 and 180 oC.
 - 2. Process according to claim 1, wherein the solvent is 1,3 dihydroxy propane or 1,2 dihydroxy propane.
 - 3. Process according to claims 1 or 2, wherein the base is NaOH or KOH.
 - 4. Process according to claims 1-3, wherein the base is applied in concentrations of 0.25 mole/l 3.5 mole/l solvent.
 - 5. Process according to claims 1-4, wherein the starting materials containing at least one isomer other than the conjugated isomers of long chain polyunsaturated fatty acids contain at least 40 wt %, preferably at least 60 wt % of long chain-PUFA, containing at least two unsaturations and at least 18 C-atoms.
 - Process according to claim 5, wherein the starting materials containing at least one isomer other than the conjugated isomers of LCPUFA's is selected from the group consisting of: sunflower oil, rape seed oil, soybean oil, saf-

flower oil, linseed oil the free acids derived from these oils and alkylesters from these free acids.

- 7. Process according to claims 1-6, wherein the soap formed after the reaction is acidified by addition of diluted acid until an acidic pH is achieved, whereupon the oil present is separated from the waterlayer.
- 8. Use of an oil, or of free fatty acids derived from this oil, or of alkyl esters from these free fatty acids comprising mainly conjugated isomers of long chain polyunsaturated fatty acids for the preparation of a material comprising mainly conjugated isomers of the long chain polyunsaturated fatty acids in another ratio for the conjugated isomers by an enzymic enrichment process using an enzyme that has the ability to discriminate between different isomers of conjugated long chain polyunsaturated fatty acids, wherein the product obtained from the process according to claims 1-6 is applied as starting material in the enzymic enrichment process for the production of the materials with the other ratio of conjugated isomers.



EUROPEAN SEARCH REPORT

Application Number EP 98 20 2866

l	DOCUMENTS CONSIDE	RED TO BE RELEVANT		·
Category	Citation of document with ind of relevant passage	ication, where appropriate,	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IntCi.6)
A,D	WO 97 42326 A (MOGEN O.J.M; PEN J; SMEEKE 13 November 1997 * abstract * * page 1 - page 4 * * page 13, line 22-2 * page 15, line 16 - * page 28, line 4 - Seq.ID:39,40 * page 116 - page 12 * page 141 - page 15 18,24-26,56,57,89,94	page 18, line 5 * page 30, line 34 * 24 * 50; claims	1	C12N15/54 C12N9/10 A01H5/00
A,D	of Cbl induced by plits association with cells via a novel sell-3-3-binding motif THE JOURNAL OF BIOLO vol. 272, no. 15, 1, 9979-9985, XP0020893	f" DGICAL CHEMISTRY, L April 1997, pages		TECHNICAL FIELDS SEARCHED (Int.Ci.6) C12N A01H
A,D	MUSLIN A.J. ET AL.: 14-3-3 with signaling by the recognition of CELL, vol. 84, 22 March 19 XP002089347 * abstract *	ng proteins is mediated of phosphoserine" 996, pages 889-897,	3	
	The present search report has t			Example
	Place of search	Date of completion of the search		
	THE HAGUE	7 January 1999	Ma	cchia, G
X:pa Y:pa do	CATEGORY OF CITED DOCUMENTS rticularly relevant if taken alone rticularly relevant if combined with anoth ourment of the same category chnological background	L : document axed t	oument, but public ite in the application for other reasons	nlished on, or



EUROPEAN SEARCH REPORT

Application Number EP 98 20 2866

	DOCUMENTS CONSIDER	RED TO BE RELEVANT		
aiegory	Citation of document with indic of relevant passage	eation, where appropriate,	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
.,D	BLAZQUEZ M.A. ET AL.: molecular characteriz Arabidopsis TPS1 gene trehalose-6-phosphate THE PLANT JOURNAL, vol. 13, no. 5, Marck XP002089348 * page 687; figure 2	zation of the e, encoding e synthase" h 1998, pages 685-689,	5	
1	-ituate moductace fr	"Phosphorylated om spinach leaves is proteins and activated tember 1996, pages 49	i	
				TECHNICAL FIELDS SEARCHED (Int.Cl.6)
		day on San all plaines		
	The present search report has	been drawn up for all compation of the search		Examiner
	Place of search THE HAGUE	Date of completion of the search 7 January 1999		lacchia, G
Y:I	CATEGORY OF CITED DOCUMENTS particularly relevant if taken alone particularly relevant if combined with and focument of the same outegory technological background non-written disclosure	T : theory or prin E : earlier patent after the filing D : document of L : document of	deta deta ad in the applicat ad for other reason	tion



Application Number

EP 98 20 2866

WALLES WALLES TO THE CONTRACT OF THE CONTRACT
CLAIMS INCURRING FEES
The present European patent application comprised at the time of filing more than ten claims.
Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
No claims tees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.
LACK OF UNITY OF INVENTION
The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:
All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:
·

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 98 20 2866

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

07-01-1999

Patent document cited in search repo	rt	Publication date	•	Patent family member(s)	Publication date
WO 9742326	Α	13-11-1997	AU	2898897 A	26-11-199

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82